



it's not just washing

The range of Modular Professional dishwashers meets the requirements for hygiene, productivity and reliability. The high functionality and efficiency guarantees a significant energy and cost savings, while preserving the environment from unnecessary waste with a consumption of only 2.8 litres of water per cycle.

Certified quality ISO 9001.



designed around you

Simple and intuitive controls

All models are equipped with a control panel accessible and easy to read. The icons are clear and simple, allowing immediate use to the operator. In the digital versions it is possible to read the temperature of the water tank and boiler.

Robust and reliable structure

Washing and rinsing arms, entirely made of stainless steel 18/10 AISI 304, guarantee excellent results even with stubborn dirt.

Easy maintenance and cleaning

Pressed tank with rounded corners for easy cleaning, removable stainless steel filters. Direct accessibility to several components for a simple and fast maintenance.



the product you need

Each request has its answer in Modular equipment.


Wide range of products that includes cup washers, glass washers, dishwashers and hood type models, available in both digital and electro-mechanical versions.

The entire structure is made of stainless steel 18/10 AISI 304 with pressed tank with independent wash/rinse arms. Integrated suction / discharge group for total draining of the circuit.

Thermo-stop, rinse aid dispenser included.









DWD 45 - DWD 51 DW 50 DT - DW 51 DT DWD 45 DT - DWD 51 DT

DW 50 - DW 51

Models

GWD

GWD DT

Electro-mechanical cupwashers (GW): single skin structure, 2 washing programs 20/30 racks/h. The model GW 41 is also equipped with upper washing.

Glass-washer/dishwasher (GWD and GWD DT): double-skin structure, upper washing, balanced door with springs, rinse aid dispenser included, 2 washing programs 20/30 racks/h in analogic models, 3 washing programs 20/30/40 racks/h in digital models.

Models

DW

DWD

DW DT

DWD DT

Electro-mechanical dishwashers (DW - DWD): single or double-skin structure, upper washing, rinse aid dispenser included, 2 washing programs 20/30 racks/h. Model DWD 59 with two washing programs 30/45 racks/h.

Digital dishwashers (DWD DT - DW DT): single or double-skin structure, balanced door with springs, upper washing, rinse aid dispenser included, 3 washing programs 20/30/40 racks/h. Model DWD 59 DT with 3 washing programs 20/30/45 racks/h.

Models HT HT DT

Hood type dishwashers: automatic start, 2 washing programs from 900 dishes/h (HT 50) up to 1200 dishes/h with digital thermometers (HT 51). Digital version with 3 washing programs up to 1300 dishes/h, tank and boiler thermometers.

Hood type models are the most suitable for medium-sized kitchens. Provide excellent versatility and impeccable results in a very short time, thanks to the automatic activation of the washing cycle when closing the cover. Easy installation, even if to be fixed in a corner.

Digital models are available in two versions:

- Control display located on the top panel (HT 53 DT)
- Control display located on the lower panel (HT 52 DT)





control panel

wash indicator light

Electro-mechanical



indicator light machine on

water temperature in the tank


Digital





washing cycles

water temperature indicator light





more efficiency

Thanks to the **thermo-stop** function, equipped in all the models, the machine works always at the optimum temperature to ensure proper sanitization of the crockery / dishes, allowing a better result and cleanliness.







The water softener is designed to soften hard water, preserving the machine from deposit and its increasing service life, keeping dishes always bright and shiny.



Antipollution non-return valve:

is a protection device able to prevent the return of the washing water into the water supply.



Booster pump: if you have low water pressure, it helps to achieve the optimum pressure to ensure correct functioning and best cleaning results.



The drain pump, at the end of rinsing cycle, has the function to drain the excess water used during the cycle. (in case of a drain located higher than 10 cm than the floor, it is requested to install the drain pump).




The **cold rinsing** lowers the temperature of the glasses before use.




Detergent dispenser introduces constantly detergent inside the dishwasher avoiding waste.



The **break tank** ensures the rinse cycle at constant temperature even with low pressure water supply. The break tank prevents the back flow of dirty water into the mains water.



more technology





All models are equipped with stainless steel filters 18/10 AISI 304.
Double filter for hood type versions.
Removable supports and filters.

Stainless steel pressed tank 18/10, rounded corners for easy cleaning.

Tank capacity: 8-11 litres for models GW, 18-23 litres for DW versions and 36 litres for hood types.





Upper and lower wash/rinse arms are completely made of stainless steel, independent of each other.
Water consumption per cycle:
2.2 litres for GW models,
3 litres for DW versions and 3.5 litres for hood type versions




included accessories

| picture | model | description | dimensions (cm) | racks/h | | tank power (kW) | boiler power (kW) | tank capacity L. | boiler capacity L. | water consuption/cycle | total power KW | supply voltage |
|---------|-----------|---|-----------------|----------|-----|-----------------|-------------------|------------------|--------------------|---------------------------|-------------------|------------------|
| | GW 35 | Electro-mechanical glass and cup-washer, 2 washing programs | 42x50x59,5 h | 20/30 | 195 | 1,2 | 3 | 11 | 3 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | GW 40 | Electro-mechanical glass and cup-washer, 2 washing programs | 48x52x62 h | 20/30 | 200 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | | | | | | | | | | | | |
| | GW 41 | Electro-mechanical glass and cup-washer, 2 washing programs | 48x52x70 h | 20/30 | 280 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | GW 42 | Electro-mechanical glass and cup-washer, 2 washing programs | 48x52x70 h | 20/30 | 280 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | GWD 40 | Electro-mechanical glass and cup-washer, 2 washing programs | 48x52x62 h | 20/30 | 200 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | GWD 41 | Electro-mechanical glass and cup-washer, 2 washing programs | 48x52x70 h | 20/30 | 280 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | | | | | | | | | | | | |
| | GWD 40 DT | Digital glass and cup-washer, 3 washing programs | 48x52x62 h | 20/30/40 | 200 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | GWD 41 DT | Digital glass and cup-washer, 3 washing programs | 48x52x70 h | 20/30/40 | 280 | 1,2 | 3 | 8 | 4,5 | 2,2 | 3,2 | 220-240V 1N 50Hz |
| | | | | | | | | | | | | |
| | · | 2 racks for glasses | | | | | | | | | | |
| |) | Saucers insert | | | | | | | | | | |
| | | Cutlery insert | | | | | | | | | | |

| C | |
|----|---|
| | |
| - | |
| | ٦ |
| | |
| _ | |
| | |
| _ | |
| | ۲ |
| 0, | |
| 2 | |
| | |
| | |
| | |
| V. | |

| picture | model | description | dimensions (cm) | racks/h | | tank power (kW) | boiler power (kW) | tank capacity L. | boiler capacity L. | Water consuption/cycle | total power kW | supply voltage |
|------------------|-----------|---|-------------------|---|--------------------|-----------------|-------------------|------------------|--------------------|------------------------|----------------------|---|
| | DWD 45 | Electro-mechanical dishwasher, 2 washing programs | 51x59,5x80,5 h | 20/30 | 320 | 1,2 | 3 | 18 | 6,9 | 2,6 | 3,35 | 220-240V 1N 50-60Hz |
| | DW 50 | Electro-mechanical dishwasher, 2 washing programs | 60x62,5x82 h | 20/30 | 340 | 2 | 3 | 23 | 6,9 | 3 | 3,65 | 220-240V 1N 50-60Hz |
| | DW 51 | Electro-mechanical dishwasher, 2 washing programs | 60x62,5x82 h | 20/30 | 340 | 2 | 4,5 | 23 | 6,9 | 3 | 5,15 | 220-240V 3 50Hz 380-415V 3N 50Hz |
| | DWD 51 | Electro-mechanical dishwasher, 2 washing programs | 60x62,5x82 h | 20/30 | 310 | 2 | 4,5 4,5 3 | 23 | 6,9 | 3 | 5,15 5,15 3,65 | 220-240V 3 50Hz 380-415V 3N 50Hz 220-230V 1N 50Hz |
| | DWD 59 | Electro-mechanical dishwasher, 2 washing programs | 60x62,5x136 h | 30/45 | 380 | 2 | 6 | 23 | 6,9 | 3 | 6,75 | 380-415V 3N 50Hz 220-240V 3 50Hz |
| | DWD 45 DT | Digital dishwasher, 3 washing programs | 51x59,5x80,5 h | 20/30/40 | 320 | 1,2 | 3 | 18 | 6,9 | 2,6 | 3,35 | 220-240V 1N 50Hz |
| | DW 50 DT | Digital dishwasher, 3 washing programs | 60x62,5x82 h | 20/30/40 | 340 | 2 | 3 | 23 | 6,9 | 3 | 3,65 | 220-240V 1N 50Hz |
| | DW 51 DT | Digital dishwasher, 3 washing programs | 60x62,5x82 h | 20/30/40 | 340 | 2 | 4,5 | 23 | 6,9 | 3 | 5,15 | 220-230V 3 50Hz 380-415V 3N 50Hz |
| | DWD 51 DT | Digital dishwasher, 3 washing programs | 60x62,5x82 h | 20/30/40 | 310 | 2 | 4,5 4,5 3 | 23 | 6,9 | 3 | 5,15 5,15 3,65 | 380-415V 3N 50Hz 220-230V 3 50Hz 220-230V 1N 50Hz |
| | DWD 59 DT | Digital dishwasher, 3 washing programs | 60x62,5x136 h | 20/30/45 | 380 | 2 | 6 | 23 | 6,9 | 3 | 6,75 | 380-415V 3N 50Hz 220-230V 3 50Hz |
| | | Rack for glasses | | Cutlery insert (model DWD 59 e DWD 59 DT not included) | | | | | | | | |
| | s | Saucers insert (only for DWD 45 and DWD 45 DT models) | | | Rack | for dis | hes | | | | | |
| | HT 50 | Electro-mechanical hood type, 2 washing programs | 63,5x71,7x140,5 h | 900 dishes/h | 420 | 3 | 6 | 36 | 6,9 | 3,5 | 6,75 | 380-415V 3N 50Hz 220-240V 3 50Hz |
| | HT 51 | Electro-mechanical hood type, 2 washing programs | 63,5x71,7x140,5 h | 1200 dishes/h | 420 | 3 | 8 | 36 | 6,9 | 3,5 | 8,75 6,75 | 380-415V 3N 50Hz 220-240V 3 50Hz |
| | HT 52 DT | Digital hood type, 3 washing programs, control display located on the lower panel | 63,5x71,7x140,5 h | 1300 dishes/h | 420 | 4,5 | 10,2 | 36 | 12,4 | 3,5 | 11,1 | 380-415V 3N 50Hz 220-240V 3 50Hz |
| | HT 53 DT | Digital hood type, 3 washing programs, control display located on the top panel | 63,5x71,7x146,5 h | 1300 dishes/h | 420 | 4,5 | 10,2 | 36 | 12,4 | 3,5 | 11,1 | 380-415V 3N 50Hz 220-240V 3 50Hz |
| Rack for cutlery | | Rack for cutlery | | | 2 racks for plates | | | | | | | |
| | | Basket exit table | | | Table v | with bo | owl | | | | | |
| | | Table with bowl and hole | | | Large : | sink fo | r pans | | | | | \wedge |



modular

Rack for slanting glasses







Rack for glasses

Rack for cup glasses





Rack for soup dishes

Neutral rack





Rack for dishes



Please note: these images are purely representative, see the pricelist for detailed information

| | 国 | VNR | | % | | cold | BT |
|-----------|-------------------|--------------------------------------|-----------------|------------------------|---------------|-----------------|---------------|
| models | water softener | antipollution non-return valve | booster pump | detergent dispenser | drain pump | cold rinsing | break tank |
| GW 35 | 0 | 0 | | • | • | 0 | |
| GW 40 | 0 | 0 | • | • | • | 0 | |
| GW 41 | 0 | 0 | • | • | • | 0 | |
| GW 42 | 0 | 0 | • | • | • | 0 | |
| GWD 40 | 0 | 0 | • | • | • | 0 | |
| GWD 41 | 0 | 0 | • | • | • | 0 | |
| DWD 45 | 0 | 0 | • | • | • | 0 | |
| DW 50 | 0 | 0 | • | • | • | 0 | |
| DW 51 | 0 | 0 | • | • | • | 0 | |
| DWD 51 | 0 | 0 | • | • | • | 0 | |
| DWD 59 | 0 | 0 | • | • | • | | |
| HT 50 | 0 | 0 | • | • | • | | |
| HT 51 | 0 | 0 | • | • | • | | |
| GWD 40 DT | 0 | 0 | • | • | • | | |
| GWD 41 DT | 0 | 0 | • | • | • | | |
| DWD 45 DT | 0 | 0 | • | • | • | | 0 |
| DW 50 DT | 0 | 0 | • | • | • | | 0 |
| DW 51 DT | 0 | 0 | • | • | • | | 0 |
| DWD 51 DT | 0 | 0 | • | • | • | | 0 |
| DWD 59 DT | 0 | 0 | • | • | • | | 0 |
| HT 52 DT | 0 | 0 | • | • | • | | 0 |
| HT 52 DT | 0 | 0 | • | • | • | | 0 |

this optional can be installed before or after purchasing



O to request at order





modular is
cooking
ovens
dishwashing
refrigeration
self service
cooking islands
preparation
for professional
people



modular professional s.r.l. via palù, 93 31020 san vendemiano treviso italy ph. +39 0438 7714 fax +39 0438 778399 modular@modular.it

www.modular.it